

Chemical nature

Polysaccharide with functional additives.

Physical properties

Physical form	Powder
Colour	From beige to yellow-brown
Odor	Specific
Ionic charge	Anionic
Molecular weight	High
Humidity, %, no more than	15
pH of 1% water solution	5.5 - 6.5
Bulk density, g/cm³	0.6 - 0.7
Viscosity of 1% water solution, mPa·s	150 - 360

Application areas

Used to increase the extraction rate of palm oil from sludge.

Operating principle

Forms a thin film which separates the oil from the surface of the solids.

Advantages

- Increases palm oil extraction by 20-30%;
- Reduces moisture content in SPO to less than 1%;
- Reduces extraction time by 2 times;
- Reduces water consumption by 3 times;
- No special equipment required for dosing;
- 100% biodegradable;
- Non-toxic and environmentally friendly.

Application

Product is used as a working solution with a concentration of no more than 1%.
Stirring speed – 500 rpm (until a funnel forms).
Mixing time – 60 minutes (or until completely dissolved).

The working solution is dosed into sludge before the settling stage. Working solution and 25% of water are simultaneously added to sludge. Product can be dissolved in the added water, or prepared separately in a smaller volume.

Dosage

- Recommended consumption of the product:
- For dry product – 1 kg/m³ sludge;
 - For working solution – 100 l/m³ sludge.

To clarify the optimal dosages of the product, it is recommended to conduct laboratory tests and/or industrial trials.

Packaging

Product is supplied in 20 kg bags.

Storage

Product is recommended to be stored in closed, ventilated warehouses under conditions that prevent exposure to precipitation and dust, protected from direct sunlight, at temperatures from +5 to +35 °C.

Guaranteed shelf life in original packaging, subject to transportation and storage rules, is 36 months from the date of manufacture, after opening the package – 7 days, subject to storage conditions. The shelf life of the working solution – 3 days.

Safety measures



Safety data sheet available upon request.

Contacts

Biopolymer Technologies LTD,
283/3, Moo 7, Bueng Subdistrict, Si Racha District,
Chonburi Province

The information presented in this technical data sheet is for reference only and does not constitute instructions for use, an offer or terms of agreement regarding product quality. To achieve optimal results, selection of products and optimal dosage is required depending on the practical application.

Version: March 2025
This technical data sheet will be void if replaced by a later version.